

SUPPLEMENT TO

The Gazette



सत्यमेव जयते

of India

No. 17] NEW DELHI, SATURDAY, MAY 3, 1958/VAISAKHA 13, 1880

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 5th April, 1958

CHOLERA								SMALLPOX								PLAGUE							
C.				D.				C.				D.				C.				D.			
Andhra Pradesh								Madhya Pradesh															
"N.R."								"N. R."															
Assam								Madras															
Kamrup					5																		
TOTAL					5																		
Total for w/e 29-3-58					5	2																	
Total for w/e 22-3-58					1	2																	
Bihar																							
"N.R."																							
Bombay																							
"N.R."																							
Delhi																							
Delhi City					2																		
New Delhi					2																		
Delhi Notified Area Committee					1																		
TOTAL					5																		
Total for w/e 29-3-58					5																		
Total for w/e 22-3-58					8																		
Himachal Pradesh																							
"N.R."																							
Kerala																							
Trivandrum					5	2																	
Quilon					5																		
Kottayam					1	1																	
Alleppey					2																		
Trichur					53	20																	
Malabar					22	8																	
TOTAL					88	31																	
Total for w/e 29-3-58					34	18																	
Total for w/e 22-3-58					92	34																	
Manipur																							
TOTAL																							
Total for w/e 29-3-58																							
Total for w/e 22-3-58																							
Mysore																							
"N.R."																							
Orissa																							
Cuttack																							
Balasore																							
Puri																							

Explanation of Symbols used :—C.=Cases; D.=Deaths; ..=Nil; "N.R."=Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 5th April, 1958—*contd.*

CHOLERA								CHOLERA							
SMALLPOX				PLAGUE				SMALLPOX				PLAGUE			
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
Orissa—contd.								Uttar Pradesh—contd.							
Sambalpur	147	24	Ghazipur	41	11
Baudh	2	1	Gorakhpur	13	6
Ganjam	187	26	Hardoi	1
Koraput	7	Saharanpur	1
Mayur Bhanj	2	..	105	13	Jalaun	18	6
Dhenkanal	12	10	Jaunpur	3	2
Keonjhar	8	Jhansi	7	6
Bolangir Patna	2	2	41	13	Kanpur	78	27
Sundargarh	10	5	9	Mainpuri	12	3
Kalahandi	4	3	86	8	Moradabad	3
TOTAL	19	13	901	155	Mathura	54	21
Total for w/e 29-3-58	916	136	Muzaffarnagar	4
Total for w/e 22-3-58	827	131	Nani Tal	1
Pondicherry								Partapgarh	1	3
TOTAL	19	11	Rae Bareilly	2	1
Total for w/e 29-3-58	24	12	Shahjahanpur	1
Total for w/e 22-3-58	22	8	Sitapur	4	1
Punjab								Unnao	4	2
"N.R."								Varanasi	15	9
Rajasthan								Barabanki	1
"N.R."								Banda	1
Tripura								Bulandshahr	3	1
"N.R."								Etah	1
Uttar Pradesh								Gonda	1
Agra	40	5	Lucknow	74	17
Aligarh	26	14	Tehri Garhwal	1
Allahabad	9	3	Total	568	183
Almora	8	2	Total for w/e 29-3-58	608	208
Azamgarh	17	9	Total for w/e 22-3-58	554	221
Ballia	16	2	West Bengal							
Bareilly	1	"N.R."							
Basti	6	2	Total for India (Ex- cluding Andhra Pradesh, Bihar, Bombay, Madhya Pradesh, Mysore, Punjab, Rajasthan, Tripura, West Bengal, and Himachal Pradesh	139	71	1962	488
Dehra Dun	1	Corresponding							
Deoria	18	6	Total for w/e 29-3-58	217	117	2025	506
Etawah	11	5	Corresponding							
Farrukhabad	5	1	TOTAL for w/e 22-3-58	173	98	1880	494
Faizabad	32	13								
Garhwal	2								
Meerut	31	5								

Explanation of symbols used : C. = Cases ; D. = Deaths ; .. = Nil ; "N.R." = Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 5th April, 1958—*concl'd.*

CHOLERA								SMALLPOX								PLAGUE							
C.		D.		C.		D.		C.		D.		C.		D.		C.		D.					
Bombay—contd.								Madhya Pradesh—contd.								CHOLERA							

REMARKS

Small-Pox.—Epidemic conditions were reported from Madras City and districts of Puri, Sambalpur, Ganjam, Mayurbhanj and Kalahandi in Orissa state during the week under review.

Heavy incidence of the disease was reported from the districts of Lucknow and Mathura of the state of Uttar Pradesh.

Explanation of symbols used:—C=Cases; D=Deaths; .. =Nil.

NEW DELHI-2 (INDIA); }
The 28th April, 1958. }

H. R. SHARMA,
for Registrar General, India.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 5th April, 1958

Deaths from:—

Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Andhra Pradesh													
Assam													
Bihar													
Bombay													
Delhi													
Kerala													
Madhya Pradesh													
Madras													
Ambur	48	28	30.3	4	2	..	16	17.3	3
Arrupukottai	62	32	26.8	2	2	1	..	15	12.6	2
Bodinayakurur	43	17	20.6	3	1	..	6	7.3	1
Chidambaram	43	38	46.0	1	..	1	16	19.4	4
Coimbatore	267	219	42.7	..	1	..	3	12	12	7	94	18.3	17
Cuddalore	76	49	33.5	2	2	2	..	15	10.3	1
Dindigul	100	82	42.6	4	2	28	14.6	4
Erode	77	38	25.7	1	2	..	9	6.1	1
Gobichetipalayam	48	10	10.8
Gudiyattam	58	34	30.5	..	5	..	1	3	1	..	26	23.3	16
Kancheepuram	93	46	25.7	1	2	7	..	28	15.7	4
Karaikudi	47	32	35.4	3	1	1	..	11	12.2	1
Karur	57	14	12.8	1	1	..	4	3.6	..
Kumtakonam	115	63	28.5	1	..	2	..	17	7.7	2
Madras City	20,111	953	24.6	..	54	..	80	47	155	3	562	14.5	144
Madurai	488	206	22.0	10	8	17	..	104	11.1	18
Mayuram	53	38	37.3	..	3	..	3	1	24	23.5	3
Mattapalayam	43	11	13.3	4	4.8	..
Nagapattinam	62	46	38.6	1	3	1	14	11.7	4
Nagercoil	109	48	22.9	6	..	3	1	18	8.6	2
Ootacamund	53	47	46.1	2	5	..	15	14.7	3
Palni	44	16	18.9	3	2	..	8	9.5	1
Palayamkottai	48	70	75.8	1	..	1	16	17.3	5
Periyakulam	35	32	47.5	4	2	13	19.3	2
Pollachi	60	28	24.3	1	2	5	..	16	13.9	4
Pudukottai	54	48	46.2	1	..	1	..	15	14.4	2
Rajapalayam	74	29	20.4	..	3	..	1	2	3	..	15	10.5	4
Salem	279	140	26.1	..	3	..	5	4	9	1	56	10.4	4
Sriangam	46	18	20.3	2	1	1	..	11	12.4	..
Srivilliputtur	45	21	24.3	2	3	3.5	..
Tanjore	133	81	31.7	1	1	1	1	21	8.2	3
Tiruchirappalli	276	122	23.0	2	2	9	1	64	12.1	9
Tirunelveli	84	44	27.2	2	3	4	1	24	14.9	6
Tiruppur	73	29	20.6	1	..	5	3.6	..
Tiruvannamalai	47	47	52.0	1	..	2	2	22	24.3	6
Tuticorin	121	61	26.2	1	2	9	1	29	12.5	5
Vaniyambadi	45	35	40.4	1	2	8	9.2	..
Vellore	141	103	38.0	2	7	25	1	74	27.3	17
Villapuram	42	37	45.8	3	3	1	13	16.1	7
Virudhunagar	57	56	51.1	1	2	2	..	8	7.3	2
TOTAL	5,657	3068	28.2	4	69	..	139	129	282	24	1447	13.3	307
Mysore													
Bangalore	1,246	407	17.0	..	14	..	13	72	138	..	342	14.3	8
Mysore	347	123	18.4	..	9	..	25	3	7	..	107	16.0	..
Kolar Gold Fields	180	59	17.0	..	1	..	5	2	7	..	28	18.1	..
Bellary	83	20	12.5	..	1	..	1	..	1	..	15	9.4	2
Davangere†													
Shimoga	68	19	14.5	8	8	6.1	..

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 5th April, 1958—*contd.*

Town	Mid-year Popn. Est. (000)	Deaths from :—										Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.				
Mysore—contd.														
Bhadravati†														
Hospett†														
Tumkur . . .	51	10	10·2	13	13	13·3	..	
Kolar†														
Chitaldrug . . .	37	1	1·4	6	8·4	..	
Hassan†														
Bidar . . .	43	10	12·1	6	..	2	..	8	9·7	..	
Gulberga . . .	101	22	11·3	1	..	4	..	8	4·1	1	
Raichur†														
Belgaum . . .	110	13	6·1	3	1	21	9·9	2	
Bijapur†														
Dharwar†														
Mangalore . . .	153	64	21·8	—	1	..	1	1	1	..	27	9·2	4	
Bagalkot . . .	39	14	18·7	2	..	4	..	9	12·0	..	
Hubli†														
Gadag (Bettigere)	73	42	29·9	6	..	2	..	21	15·0	1	
TOTAL . . .	2,531	804	16·5	..	26	..	84	79	166	..	613	12·6	18	
Orissa														
Behrampur . . .	81	80	51·4	5	3	3	1	20	12·8	3	
Cuttack . . .	129	117	47·2	—	2	..	5	4	10	1	43	17·3	5	
Puri . . .	56	24	22·3	..	3	..	6	1	20	18·6	4	
TOTAL . . .	266	221	43·2	..	5	..	16	8	13	2	83	16·2	12	
Pondicherry														
"N.R."														
Punjab														
Ambala . . .	62	36	30·2	2	3	3	..	10	8·4	5	
Amritsar . . .	359	165	24·0	4	8	18	..	78	11·3	25	
Batala . . .	66	37	29·2	6	..	1	..	10	7·9	6	
Bhiwani . . .	59	39	34·5	7	1	1	..	12	10·6	3	
Ferozepur†														
Hissar . . .	41	32	40·7	3	5	6·4	3	
Hoshiarpur . . .	54	33	31·9	2	12	11·6	3	
Jullundur . . .	230	116	26·3	2	5	8	..	19	4·3	8	
Karnal . . .	83	39	24·5	4	1	13	8·2	1	
Ludhlana . . .	194	147	39·5	4	..	16	..	37	9·9	7	
Moga†														
Panipat . . .	72	27	19·5	8	..	5	..	15	10·8	2	
Pathankot . . .	36	30	43·5	1	..	2	2·9	2	
Rewari . . .	40	18	23·5	2	..	1	..	3	3·9	1	
Rohtak . . .	96	56	30·4	5	..	2	1	12	6·5	..	
Simla . . .	53	27	26·5	1	2	..	7	6·9	2	
Sonepat . . .	36	22	31·8	5	..	1	..	6	8·7	2	
Bhatinda . . .	45	33	38·2	1	..	6	7·0	..	
Malerkotla ¹														
Patiala . . .	125	47	19·6	18	1	36	15·0	13	
TOTAL . . .	1,651	904	28·5	72	19	60	2	283	8·9	83	
Rajasthan														
"N.R."														
Uttar Pradesh														
Agra . . .	404	250	32·2	1	57	..	96	12·4	24	
Allahabad . . .	372	140	19·6	2	36	1	64	9·0	6	
Amroha . . .	61	64	54·7	5	1	5	..	24	20·5	6	
Bahraich . . .	49	17	18·1	4	..	1	..	8	8·5	3	
Banaras . . .	416	214	26·8	56	2	17	..	186	23·3	34	
Banda†														

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of Symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information; "N. R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 5th April, 1958—*contd.*

Town	Mid.-year Popn.-Est. (000).	B.	B.R.*	Deaths from —								Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.				
Uttar Pradesh—contd.														
Bareilly	206	56	14.2	4	2	6	..	18	4.5	2	
Basti†														
Ballia	37	2	2.8	1	1	4	5.6	1	
Bijnor	33	11	17.4	4	1	2	..	8	12.6	1	
Budaun	55	30	28.4	2	..	6	..	12	11.4	2	
Bulandshahr†														
Chandaul†														
Dehra Dun . . .	186	54	15.1	1	2	4	..	29	8.1	8	
Etawah†														
Faizabad Ayodhya .	94	15	8.3	..	1	..	4	..	1	..	8	4.4	1	
Farukhabad-Fatehgarh	78	27	18.0	..	1	..	4	1	3	..	15	10.0	3	
Perozabad	93	28	15.7	3	..	2	..	9	5.0	4	
Ghaziipur	35	17	25.3	7	9	13.4	..	
Ghazipur	68	24	18.4	1	..	1	..	5	3.8	1	
Gonda	35	8	11.9	1	1.5	1	
Gorakhpur	150	54	18.8	3	1	8	2.8	2	
Hapur	65	39	31.3	9	..	2	..	12	9.6	2	
Hardwar	73	29	20.7	1	13	1	1	..	20	14.3	4	
Hathras	65	27	21.6	21	22	17.6	6	
Jaunpur	59	15	13.2	3	..	3	..	10	8.8	1	
Jhansi	132	46	18.2	22	27	10.7	4	
Kanpur	810	275	17.7	..	5	..	108	21	44	5	299	19.2	72	
Kasganj	34	1	1.5
Khurja	41	9	1	5	..	25	31.7	6	
Koili Aligarh . . .	167	60	18.7	10	3	5	..	20	6.2	4	
Lucknow†														
Mathura	118	58	25.6	12	1	12	..	27	11.9	7	
Mau Nath Bhanjan†														
Meerut	198	127	33.4	8	1	8	4	28	7.4	3	
Mirzapur Vindhyachal .	100	36	18.8	8	..	4	..	13	6.8	4	
Moradabad	165	125	39.5	11	3	17	..	43	13.6	6	
Muzaffarnagar . . .	81	32	20.6	9	..	1	..	10	6.4	2	
Pilibhit	47	43	47.7	..	1	..	8	..	2	..	10	11.1	1	
Rampur†														
Saharanpur	178	102	29.9	35	1	3	..	49	14.3	14	
Sambhal†														
Sitapur	52	25	25.0	4	4	4.0	..	
Shahjahanpur . . .	112	47	21.9	14	1	3	..	21	9.8	6	
TOTAL	5,050	2,098	21.6	1	8	..	490	46	251	10	1144	11.8	241	

West Bengal

"N.R."

ARREAR INFORMATION**Assam**

w/e 4-1-58

Shillong	81	37	23.8	1	..	6	3.9	..
Gauhati	58	19	17.0	1	1	13	11.7	14
Dibrugarh	54	4	3.9
Silchar	57	11	10.0	7	6.4	3
TOTAL	250	71	14.8	1	1	1	..	26	5.4	17

w/e 11-1-58

Shillong	81	31	19.9	3.2	1
Gauhati	58	23	20.6	4	8	7.2	9
Dibrugarh	54	3	2.9	1	0.96	..
Silchar	57	62	56.6	1	1	2	..	9	8.2	1
TOTAL	250	119	24.8	5	1	2	..	23	4.8	11

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates,

† Figures not available.

Explanation of Symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 5th April, 1958—*contd.*

Deaths from :—

Town	Mid.- year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Assam—<i>contd.</i>													
<i>w/e 18-1-1958</i>													
Shillong	81	33	21.2	2	..	1	..	5	3.2	2
Gauhati	58	34	30.5	8	1	32	28.7	34
Dibrugarh	54	5	4.8	2	1.9	..
Silchar	57	40	36.5	7	6.4	2
TOTAL	250	112	23.3	10	..	1	1	46	9.6	38
<i>w/e 25-1-1958</i>													
Shillong	81	30	19.3	2	..	5	3.2	..
Gauhati	58	8	7.2	4	11	9.9	..
Dibrugarh	54	5	4.8
Silchar	57	15	13.7	1	1	8	7.3	2
TOTAL	250	58	12.1	5	1	2	..	24	5.0	2
<i>w/e 1-2-1958</i>													
Shillong	81	30	19.3	1	6	3.9	..
Gauhati†	54	4	3.9	1	0.96	..
Dibrugarh	54	4	3.9	1	0.96	..
Silchar	57	7	6.4	2	6	5.5	2
TOTAL	192	41	11.1	2	1	13	3.5	2
<i>w/e 8-2-1958</i>													
Shillong	81	32	20.5	1	6	3.9	..
Gauhati†	54	3	2.9
Dibrugarh	54	3	2.9
Silchar	57	3	2.7	2	..	3	..	9	8.2	..
TOTAL	192	38	10.3	3	..	3	..	15	4.1	..
<i>w/e 15-2-1958</i>													
Shillong	81	34	21.8	1	..	3	..	6	3.9	1
Gauhati	58	33	29.6	4	2	..	1	23	20.6	26
Dibrugarh	54	2	1.9
Silchar	57	13	11.9	3	1	1	..	13	11.9	..
TOTAL	250	82	17.1	8	3	4	1	42	8.7	27
<i>w/e 22-2-1958</i>													
Shillong	81	33	21.2	1	..	1	..	6	3.9	..
Gauhati	58	4	3.6	8	1	21	18.8	25
Dibrugarh	54	1	0.96
Silchar	57	16	14.6	2	..	1	1	8	7.3	2
TOTAL	250	54	11.2	11	1	2	1	35	7.3	27
Punjab (Supplementary figures]													
<i>w/e 1-3-1958</i>													
Ferozepore	47	27	30.0	3	..	6	6.7	2
Moga	45	33	38.2	1	..	1	..	3	3.5	..
<i>w/e 8-3-1958</i>													
Ferozepore	47	22	24.4	2	2.2	..
Moga	45	25	29.0	1	..	1	..	7	8.1	..
<i>w/e 15-3-1958</i>													
Ferozepore	47	24	26.6	1	..	4	..	6	6.7	1
Moga	45	39	45.2	2	..	3	..	5	5.8	1
<i>w/e 22-3-1958</i>													
Ferozepore	47	26	28.9	1	4	..	9	10.0	1
Moga	45	23	26.7	2	4	4.6	..
<i>w/e 29-3-1958</i>													
Ferozepore	47	17	18.9	1	1	..	3	3.3	2
Moga	45	16	18.5	1	4	4.6	1
Hissar	41	17	21.6	4	..	1	..	10	12.7	3
Bhiwani	59	32	28.3	5	..	3	..	11	9.7	6

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B. = Births ; B. R. = Birth Rate ; C = Cholera ; S. = Smallpox ; P. = Plague ; F. = Fevers ; D.D. = Dysentery and Diarrhoea ; R.D. = Respiratory Diseases ; M.D. = Maternal Deaths ; D.R. = Death Rate ; I.D. = Infantile Deaths (included in total deaths) ; .. = Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 5th April, 1958—*concl'd.*

Deaths from :—

Town	Mid-Year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Madhya Pradesh													
<i>for w/e 22-3-1958</i>													
Indore	423	197	24.2	..	12	..	21	2	15	..	101	12.4	19
Ujjain	183	50	14.2	11	34	9.7	8
Burhanpur	85	60	36.7	..	30	..	8	2	1	..	48	29.4	..
Mandsaur	48	11	11.9	2	..	2	2.2	..
Ratlam	82	27	17.1	..	1	..	3	3	18	20	25	15.9	5
TOTAL	821	345	21.9	..	43	..	43	7	36	20	210	13.3	32
<i>for the w/e 15-3-1958</i>													
Indore	423	270	33.2	..	6	..	19	2	20	..	120	14.8	33
Greater Gwalior	297	59	10.3	..	2	1	..	15	2.6	2
Ujjain	183	50	14.2	..	4	..	11	1	48	13.6	9
Jabalpur	267	90	17.5	..	6	..	56	1	14	1	77	15.0	19
Ratlam	82	18	11.4	3	..	11	9	14	8.9	5
Damoh	47	19	21.0	..	2	13	14.4	..
Itarsi	37	13	18.3	4	1	7	9.8	..
Mandsaur	48	12	13.0	1	..	1	..	2	2.2	..
TOTAL	1,384	536	20.1	..	20	..	94	5	47	10	2,96	11.1	68
<i>for w/e 8-3-1958</i>													
Indore	423	148	18.2	..	11	..	23	4	7	..	106	13.0	32
Ujjain	183	47	13.4	11	1	37	10.5	5
Jabalpur	267	65	12.7	..	7	..	17	1	7	..	48	9.3	16
Mhow	52	11	11.0	1	1.0	..
Damoh	47	18	19.9	4	..	13	..	17	18.8	..
Mandsaur	44	9	10.6	1	..	1	1.2	..
Ratlam	82	21	13.3	4	..	5	8	9	5.7	1
Greater Gwalior	297	94	16.5	1	..	1	1	16	2.8	1
Itarsi	37	10	14.1	1	5	7.0	..
TOTAL	1,432	423	15.4	..	18	..	61	5	34	10	240	8.7	55
<i>for w/e 8-2-1958 (Supplementary figures)</i>													
Chhindwara	33	19	29.9	2	1	10	15.8	2
<i>for w/e 15-2-1958</i>													
Chhindwara	33	20	31.5	3	17	26.8	1
<i>for w/e 1-3-1958</i>													
Itarsi	37	17	23.9	5	1	9	12.6	..
Jabalpur	267	81	15.8	23	3	2	..	63	13.7	7
Mandsaur	44	10	11.8	1	1	1.2	..
Chhindwara	33	20	31.5	1	5	7.9	2
<i>for w/e 22-2-1958</i>													
Itarsi	37	8	11.2	1	6	8.4	..
Mandsaur	44	10	11.8	1	1	1.2	..
Chhindwara	33	17	26.8	3	..	2	..	20	31.5	5
Kerala													
<i>for w/e 22-3-1958</i>													
Trivandrum	247	163	34.3	4	1	29	6.1	4
Quilon	82	18	11.4	6	3.8	1
Alleppey†													
Changanacherry†													
Kottayam	55	120	113.5	4	18	17.0	1
Mattancherry	94	262	144.9	1	12	6.6	..
Ernakulam	77	72	48.6	3	2	17	11.5	..
Trichur	80	44	28.6	1	14	9.1	..
Fort Cochin	33	25	39.9	2	..	8	12.6	1
Kozhikode	187	97	27.0	10	6	3	7	114	31.7	14
Palghat	82	59	37.4	42	26.6	3
Cannore	49	14	14.9	1	1	16	17.0	3
Tellicherry	43	23	27.8	3	1	13	15.7	2
TOTAL	10,29	8,97	45.3	27	10	5	8	2,89	14.6	29

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used : B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; F.—Plague ; P.—Fevers ; D.D.—Dysentery and Diarrhoea ; R. D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..=Nil information.

REMARKS

The figures of births and deaths shown and death rates of 24·3 and 12·2 per thousand of in this statement for the week ending the 5th April, population respectively, 1958, relate to 108 towns from the States of Madras, Mysore, Orissa, Punjab, and Uttar Pradesh with a population coverage of 15,155 thousands out of total population 46 893 thousands in 319 towns in the country. The number of births and deaths recorded in these towns were 7,095 and 3,570 registering birth

The only town of Khurja in the State of Uttar-Pradesh has recorded a high death rate of 31·7 per thousand of population. The following table gives the registered rates for the different States :—

States	Current w/e 5-4-1958		Corresponding w/e last year	
	B.R.	D.R.	B.R.	D.R.
Madras	28·2	13·3	36·8	16·1
Mysore	16·5	12·6	22·5	10·5
Orissa	43·2	16·2	43·8	23·0
Punjab	28·5	8·9	27·5	7·6
Uttar Pradesh	21·6	11·8	29·2	12·0
India	24·3	12·2	31·0	12·9

NEW DELHI-2 (INDIA);
The 23th April, 1958.

H. R. SHARMA,
for Registrar General, India.